

- Drafts
- Pending
- Active
 - L1: (168) (296/217).CCLS.
 - L2: (693) (296/214, 216.01, 221, 220.01).CCLS.
 - L3: (112) (410/104).CCLS.
 - L4: (1376) wireless with key .
 - L5: (7) wireless with key with window
 - L6: (1723) (411/531-547).CCLS.
 - L7: (33) L6 AND STEP WITH WASHER
 - L8: (5) L6 AND OFFSET WITH SEAT
 - L9: (165) (411/546).CCLS.
 - L10: (36) Combined citation search 1
 - L11: (41) Combined citation search 2
 - L12: (6) Forward citation search 1
 - L13: (1) ("5244325").PN.
 - L14: (545) (296/35.1).CCLS.
 - L15: (38) l14 and plastic
- Failed
 - "411"/\$.CCLS. AND STEPS WITH WASHER
- Saved
 - S1: (335) (296/146.6).CCLS.

Search List Browse Queue Clear
DBs US-PGPUB:U! Plurals
Default operator: OR Highlight all hit terms initially

l14 and plastic


- Drafts
- Pending
- Active
 - L1: (168) (296/217).CCL
 - L2: (693) (296/214, 216.
 - L3: (112) (410/104).CCL
 - L4: (1376) wireless wit
 - L5: (7) wireless with k
 - L6: (1723) (411/531-547
 - L7: (33) L6 AND STEP WI
 - L8: (5) L6 AND OFFSET W
 - L9: (165) (411/546).CCL
 - L10: (36) Combined cita
 - L11: (41) Combined cita
 - L12: (6) Forward citati
 - L13: (1) ("5244325").PN
 - L14: (545) (296/35.1).C
 - L15: (38) l14 and plast.
- Failed
- Saved
- Favorites
- Tagged (20)
- UDC
- Queue
- Trash

	U	E	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5746561	19980505	35	Alignment tolerant fastening system	411/368
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6595558	20030722	12	High-pressure metal pipe with connection he	285/382
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6665140	20031216	12	Conductive lock washer	360/99.0
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5662444	19970902	11	Fastener assembly with axially captivated wash	411/369
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6776566	20040817	7	Assembly for automatically compensat	411/546
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702	20031209	16	Bolting structure for magnesium alloy member	411/546
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412	20010724	10	Honeycomb panel fixing device	411/352
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917	19910820	4	Device for fixing mechanical parts to the	403/408
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886	19901002	4	Construction form plug for nail	411/542
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112	19840306	9	Fastener assembly	411/368
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165	19801209	5	Fastener unit for clamping plastic workpi	403/408
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387	19651019	5	Plastic captive screw washer [TEXT AVAILABLE	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711	19980127	11	Method of manufacturing	470/41

BRS form Hits Details HTML

Ready

NUM



- Drafts
- Pending
- Active
 - L1: (168) (296/217).CCLS.
 - L2: (693) (296/214, 216.01, 221, 220.01).CCLS.
 - L3: (112) (410/104).CCLS.
 - L4: (1376) wireless with key
 - L5: (7) wireless with key with window
 - L6: (1723) (411/531-547).CCLS.
 - L7: (33) L6 AND STEP WITH WASHER
 - L8: (5) L6 AND OFFSET WITH SEAT
 - L9: (165) (411/546).CCLS.
 - L10: (36) Combined citation search 1
 - L11: (41) Combined citation search 2
 - L12: (6) Forward citation search 1
 - L13: (1) ("5244325").PN.
 - L14: (545) (296/35.1).CCLS.
 - L15: (38) 114 and plastic
- Failed
 - "411"/\$.CCLS. AND STEPS WITH WASHER
- Saved
 - S1: (335) (296/146.6).CCLS.

Search List Browse Queue Clear
DBs US-PGPUB-US Plurals
Default operator: OR Highlight all hit terms initially

114 and plastic

Structured form Custom form BRS form ISI

- Drafts
- Pending
- Active
 - L1: (168) (296/217).CCL
 - L2: (693) (296/214, 216.
 - L3: (112) (410/104).CCL
 - L4: (1376) wireless wit
 - L5: (7) wireless with k
 - L6: (1723) (411/531-547
 - L7: (33) L6 AND STEP WI
 - L8: (5) L6 AND OFFSET W
 - L9: (165) (411/546).CCL
 - L10: (36) Combined cita
 - L11: (41) Combined cita
 - L12: (6) Forward citati
 - L13: (1) ("5244325").PN
 - L14: (545) (296/35.1).C
 - L15: (38) 114 and plast
- Failed
- Saved
- Favorites
- Tagged (20)
- UDC
- Queue
- Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702	20031209	16	Bolting structure for magnesium alloy member	411/546
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412	20010724	10	Honeycomb panel fixing device	411/352
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917	19910820	4	Device for fixing mechanical parts to the	403/408
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886	19901002	4	Construction form plug for nail	411/542
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112	19840306	9	Fastener assembly	411/368
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165	19801209	5	Fastener unit for clamping plastic workpi	403/408
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387	19651019	5	Plastic captive screw washer [TEXT AVAILABLE	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711	19980127	11	Method of manufacturing a fastener assembly with	470/41
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4867461	19890919	5	Gasket sealing system	277/593
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4193434	19800318	6	Preassembled fastener unit for clamping plast	411/154
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5328311	19940712	6	Fastener assembly with axially slidale sleeve	411/353
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2275315	19420303	2	Means for attaching fragile bodies to a sup	411/371

BRS form Hits Details HTML

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts Pending Active

- L1: (168) (296/217).CCLS.
- L2: (693) (296/214, 216.01, 221, 220.01).CCLS.
- L3: (112) (410/104).CCLS.
- L4: (1376) wireless with key
- L5: (7) wireless with key with window
- L6: (1723) (411/531-547).CCLS.
- L7: (33) L6 AND STEP WITH WASHER
- L8: (5) L6 AND OFFSET WITH SEAT
- L9: (165) (411/546).CCLS.
- L10: (36) Combined citation search 1
- L11: (41) Combined citation search 2
- L12: (6) Forward citation search 1
- L13: (1) ("5244325").PN.
- L14: (545) (296/35.1).CCLS.
- L15: (38) 114 and plastic**

Failed

- "411"/\$.CCLS. AND STEPS WITH WASHER

Saved

- S1: (335) (296/146.6).CCLS.

Search List Browse Queue Clear

DBs US-PGPUB: U Plurals

Default operator: OR Highlight all hit terms initially

l14 and plastic


Structured form Custom form BRS form ISI

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
1	IS&R	L1	168	(296/217).CCLS.	USPA	2005/02/0	.	
2	IS&R	L2	693	(296/214, 216.01, 221, 220.01).CCLS.	USPA	2005/02/0		
3	IS&R	L3	112	(410/104).CCLS.	USPA	2005/02/0		
4	BRS	L4	1376	wireless with key	USPA	2005/02/0		
5	BRS	L5	7	wireless with key with window	USPA	2005/02/0		
6	IS&R	L6	1723	(411/531-547).CCLS.	US-P	2005/02/0		
7	BRS	L7	33	L6 AND STEP WITH WASHER	USPA	2005/02/0		
8	BRS	L8	5	L6 AND OFFSET WITH SEAT	USPA	2005/02/0		
9	IS&R	L9	165	(411/546).CCLS.	US-P	2005/02/0		
10	BRS	L10	36	("1356404" "1497859" "2283494")	GPUB	1 09:48		
11	BRS	L11	41	("1674258" "1809758" "2076041")	US-P	2005/02/0		
12	BRS	L12	6	("2275315").URPN.	USPA	2005/02/0		
13	IS&R	L13	1	("5244325").PN.	USPA	2005/02/0		
14	IS&R	L14	545	(296/35.1).CCLS.	US-P	2005/02/0		

BRS form Hits Details HTML

EAST - [Untitled1:2]

File View Edit Tools Window Help



- Drafts
- Pending
- Active

- L1: (168) (296/217).CCLS.
- L2: (693) (296/214, 216.01, 221, 220.01).CCLS.
- L3: (112) (410/104).CCLS.
- L4: (1376) wireless with key
- L5: (7) wireless with key with window
- L6: (1723) (411/531-547).CCLS.
- L7: (33) L6 AND STEP WITH WASHER
- L8: (5) L6 AND OFFSET WITH SEAT
- L9: (165) (411/546).CCLS.
- L10: (36) Combined citation search 1
- L11: (41) Combined citation search 2
- L12: (6) Forward citation search 1
- L13: (1) ("5244325").PN.
- L14: (545) (296/35.1).CCLS.
- L15: (38) 114 and plastic

- Failed

- "411"/\$.CCLS. AND STEPS WITH WASHER

- Saved

- S1: (335) (296/146.6).CCLS.

DBs US-PGPUB: U! PluralsDefault operator: OR Highlight all hit terms initially

l14 and plastic

- Drafts

- Pending

- Active

- L1: (168) (296/217).CCL
- L2: (693) (296/214, 216.
- L3: (112) (410/104).CCL
- L4: (1376) wireless wit
- L5: (7) wireless with k
- L6: (1723) (411/531-547
- L7: (33) L6 AND STEP WI
- L8: (5) L6 AND OFFSET W
- L9: (165) (411/546).CCL
- L10: (36) Combined cita
- L11: (41) Combined cita
- L12: (6) Forward citati
- L13: (1) ("5244325").PN
- L14: (545) (296/35.1).C
- L15: (38) 114 and plast

- Failed

- Saved

- Favorites

- Tagged (20)

- UDC


- Queue

- Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
2	IS&R	L2	693	(296/214, 216.01, 221, 2 20.01).CCLS.	USPA T	2005/02/0 1 08:22		
3	IS&R	L3	112	(410/104).CCLS.	USPA T	2005/02/0 1 08:52		
4	BRS	L4	1376	wireless with key	USPA T	2005/02/0 1 08:52		
5	BRS	L5	7	wireless with key with window	USPA T	2005/02/0 1 09:16		
6	IS&R	L6	1723	(411/531-547).CCLS.	US-P GPUB	2005/02/0 1 09:18		
7	BRS	L7	33	L6 AND STEP WITH WASHER	USPA T	2005/02/0 1 09:29		
8	BRS	L8	5	L6 AND OFFSET WITH SEAT	USPA T	2005/02/0 1 09:31		
9	IS&R	L9	165	(411/546).CCLS.	US-P GPUB	2005/02/0 1 09:32		
10	BRS	L10	36	("1356404" "1497859" "2283494"	US-P GPUB	2005/02/0 1 09:48		
11	BRS	L11	41	("1674258" "1809758" "2076041"	US-P GPUB	2005/02/0 1 09:55		
12	BRS	L12	6	("2275315").URPN.	USPA T	2005/02/0 1 10:01		
13	IS&R	L13	1	("5244325").PN.	USPA T	2005/02/0 1 10:31		
14	IS&R	L14	545	(296/35.1).CCLS.	US-P GPUB	2005/02/0 1 10:32		
15	BRS	L15	38	114 and plastic	US-P GPUB	2005/02/0 1 10:32		

[NUM]

Ready



- S33: (112) (410/104).CCLS.
- S34: (1376) wireless with key
- S35: (7) wireless with key with window
- S36: (1723) (411/531-547).CCLS.
- S37: (33) S36 AND STEP WITH WASHER
- S38: (5) S36 AND OFFSET WITH SEAT
- S39: (165) (411/546).CCLS.
- S40: (36) Combined citation search 1
- S41: (41) Combined citation search 2
- S42: (6) Forward citation search 1
- S43: (1) ("5244325").PN.
- S44: (545) (296/35.1).CCLS.
- S45: (38) S44 and plastic
- S46: (169) (296/183.1).CCLS.
- S47: (560) (296/204).CCLS.
- S48: (30) S47 and bed

- Favorites
- Tagged (23)
- UDC
- Queue
- Trash

DBs USPAT Plurals
 Default operator: OR Highlight all hit terms initially

117 and bed

Custom form BRS form IS&Rform Hits


- Drafts
- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (23)
- UDC
- Queue
- Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5746561	19980505	35	Alignment tolerant fastening system	411/368
		A					
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6595558	20030722	12	High-pressure metal pipe with connection he	285/382
		B2					
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6665140	20031216	12	Conductive lock washer	360/99.0
		B1					
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5662444	19970902	11	Fastener assembly with axially captivated wash	411/369
		A					
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6776566	20040817	7	Assembly for automatically compensat	411/546
		B2					
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702	20031209	16	Bolting structure for magnesium alloy member	411/546
		B2					
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412	20010724	10	Honeycomb panel fixing device	411/352
		B1					
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917	19910820	4	Device for fixing mechanical parts to the	403/408
		A					
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886	19901002	4	Construction form plug for nail	411/542
		A					
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112	19840306	9	Fastener assembly	411/368
		A					
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165	19801209	5	Fastener unit for clamping plastic workoi	403/408
		A					
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387	19651019	5	Plastic captive screw washer. [TEXT AVAILABLE]	411/371
		A					
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537	20020528	10	Arrangement for attaching a plastic veh	296/191
		B1					
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094	20020226	33	Bolt and a nut locking mechanism	411/114
		B1					
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503	20000509	7	Captivated fastener assembly	411/353
		A					
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711	19980127	11	Method of manufacturing	470/41

BRS form Hits Details HTML

EAST - [Untitled1:2]

File View Edit Tools Window Help



- Drafts
- Pending
- Active
 - L1: (58) (296/181.2).CCLS.
 - L2: (545) (296/35.1).CCLS.
- Failed
 - "411"/\$.CCLS. AND STEPS WITH WASHER
- Saved

- S1: (335) (296/146.6).CCLS.
- S2: (404) (296/152).CCLS.
- S3: (492) (49/502).CCLS.
- S4: (5064) b60j005/04.ipc.
- S5: (8) S4 and center near3 gravity
- S6: (5598) b60j005/00.ipc.
- S7: (7) S6 and center near3 gravity
- S8: (369) 296/146.5
- S9: (0) S1 and S2 and S3 and S8 and center near3 gravity
- S10: (1134) S1 or S2 or S3 or S8 and center near3 gravity
- S11: (13) (S1 or S2 or S3 or S8) and center near3 gravity
- S12: (158) (296/146.5).CCLS.
- S13: (31) S12 and aluminum
- S14: (1) ("6276542").PN.

Search List Browse Queue Clear

DBs US-PGPUB:U!

Default operator: OR Highlight all hit terms initially

296/35.1

 Custom form BRS form IS&R form Hits

- Drafts
- Pending
- Active
 - L1: (58) (296/181.2).CC
 - L2: (545) (296/35.1).CC
- Failed
- Saved
- Favorites
- Tagged (26)
- UDC
- Queue
- Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387 A	19651019	5	Plastic captive screw washer...[TEXT AVAILABLE]	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537 B1	20020528	10	Arrangement for attaching a plastic veh...	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094 B1	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503 A	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711 A	19980127	11	Method of manufacturing a fastener assembly wit...	470/41
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4867461 A	19890919	5	Gasket sealing system	277/593
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4193434 A	19800318	6	Preassembled fastener unit for clamping plast...	411/154
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5328311 A	19940712	6	Fastener assembly with axially slidale sleeve	411/353
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2275315 A	19420303	2	Means for attaching fragile bodies to a sup...	411/371
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030001409	20030102	7	Torsional isolated pickup truck cargo bed	296/183
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4976490 A	19901211	7	Reinforced composite structure	296/183
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6702365 B2	20040309	7	Torsional isolated pickup truck cargo bed	
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6053563 A	20000425	12	Enclosure having integrally molded prot...	296/181
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5249834 A	19931005	8	Apparatus for connecting a polymeric	296/35.
26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3990737 A	19761109	5	Resilient mounting means for a protection	296/35.

 BRS form Hits Details HTML

CAP NUM

Ready